

Version #: 01
Issue date: 24-June-2026
Revision date: -
Supersedes date: -

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation of the mixture Presaturated wipes containing 6% Isopropyl alcohol, 94% water (SCFL)

Registration number -

Synonyms None.

SDS number 0694SCFL

Product code PSCL0001

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Presaturated cleaning wipes.

Uses advised against Uses other than the recommended use.

1.3. Details of the supplier of the safety data sheet

Authorisation holder:

Company name Contec Europe
Address ZI du Prat
Avenue Paul Duplaix
56000 Vannes
France
Telephone +33 (0) 2 97 43 76 98

Manufacturer:

Company name Contec, Inc.
Address 525 Locust Grove
Spartanburg, SC 29303
USA
Telephone +1-864-503-8333

Customer service:

Hotline +33 (0) 2 97 43 76 98
Email SDS@contecinc.com

1.4. Emergency telephone number Call CHEMTREC day or night: +1 703 527 3887 (24 hours)

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

National Poisons Information Centre 353 (1) 809 2566 Healthcare Professionals: 24 hours, 7 days a week

353 (1) 809 2166 General Public: 8:00 a.m.to 10 p.m. (7 days a week)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms



Signal word Warning

Hazard statements

H226 Flammable liquid and vapour.

Precautionary statements

Prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P370 + P378 In case of fire: Use appropriate media to extinguish.

Storage

P403 + P235 Store in a well-ventilated place. Keep cool.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental information on the label None.

2.3. Other hazards

This mixture does not contain any substances that meet the criteria for persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) in accordance with Annex XIII of Regulation (EC) No 1907/2006 at a concentration of equal to or greater than 0.1% w/w.
The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a concentration equal to or greater than 0.1% by weight.
The mixture does not contain any substances having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0.1% by weight.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

| Chemical name | % | CAS-No. / EC No. | REACH Registration No. | Index No. | Notes |
|---------------|---|----------------------|------------------------|--------------|-------|
| Propan-2-ol | 6 | 67-63-0 200-661-7 | - | 603-117-00-0 | |

Classification: Flam. Liq. 2;H225, Eye Irrit. 2;H319, STOT SE 3;H336

Composition comments

The full text for all H-statements is displayed in section 16.
All concentrations are in percent by weight.
Components not listed are either non-hazardous or are below reportable limits.

SECTION 4: First aid measures

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

4.1. Description of first aid measures

Inhalation

Not relevant, due to the form of the product. However: If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a physician if symptoms develop or persist.

Skin contact

Rinse skin with water/shower. Get medical attention if irritation develops and persists.

| | |
|--|---|
| Eye contact | Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and persists. |
| Ingestion | Not relevant, due to the form of the product. In case of ingestion: Rinse mouth. Get medical attention if symptoms occur. |
| 4.2. Most important symptoms and effects, both acute and delayed | Direct contact with eyes may cause temporary irritation. |
| 4.3. Indication of any immediate medical attention and special treatment needed | Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. |

SECTION 5: Firefighting measures

| | |
|---|---|
| General fire hazards | Solid containing flammable liquid. |
| 5.1. Extinguishing media | |
| Suitable extinguishing media | Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). |
| Unsuitable extinguishing media | Do not use water jet as an extinguisher, as this will spread the fire. |
| 5.2. Special hazards arising from the substance or mixture | May burn with invisible flame. Vapours may form explosive mixtures with air. Vapours may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed. Carbon oxides. Organic compounds. |
| 5.3. Advice for firefighters | |
| Special protective equipment for firefighters | Self-contained breathing apparatus and full protective clothing must be worn in case of fire. |
| Special fire fighting procedures | In case of fire and/or explosion do not breathe fumes. Cool containers exposed to flames with water. Move containers from fire area if you can do so without risk. |
| Specific methods | Use standard firefighting procedures and consider the hazards of other involved materials. |

SECTION 6: Accidental release measures

| | |
|---|--|
| 6.1. Personal precautions, protective equipment and emergency procedures | |
| For non-emergency personnel | Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist/vapours. Avoid contact with eyes, skin, and clothing. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. |
| For emergency responders | Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS. |
| 6.2. Environmental precautions | Avoid discharge into drains, water courses or onto the ground. |
| 6.3. Methods and material for containment and cleaning up | Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil etc) away from spilled material. Avoid release to the environment. The liquid solvent solution is miscible in water. Spills are very unlikely, because the wiper fabric has absorbed the liquid solvent solution. In the event of a spill, contain with an inert absorbent. Collect the wipes with a non sparking tool and absorb or wipe any residual liquids. Used wipes must be disposed in a closed container. Never return spills to original containers for re-use. |
| 6.4. Reference to other sections | For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS. |

SECTION 7: Handling and storage

| | |
|---|--|
| 7.1. Precautions for safe handling | WARNING! Used wipes may catch fire if improperly discarded or stored near ignition sources. Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Avoid breathing mist/vapours. Avoid contact with skin, eyes and clothing. Avoid prolonged exposure. Wash thoroughly after handling. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. |
|---|--|

7.2. Conditions for safe storage, including any incompatibilities Keep away from heat, sparks and open flame. Keep away from combustible material. Keep containers closed when not in use. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see section 10 of the SDS).

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

ANNEX 1, PART 1 Categories of dangerous substances
Hazard categories in accordance with Regulation (EC) No 1272/2008
- P5a, b or c FLAMMABLE LIQUIDS (Lower-tier requirements = 50 tonnes; Upper-tier requirements = 200 tonnes)

7.3. Specific end use(s) Presaturated cleaning wipes. Observe industrial sector guidance on best practices.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Ireland. OELVs, Schedules 1 & 2, Code of Practise for Chemical Agents and Carcinogens Regulations

| Components | Type | Value |
|---------------------------|------|---------|
| Propan-2-ol (CAS 67-63-0) | STEL | 400 ppm |
| | TWA | 200 ppm |

Biological limit values No biological exposure limits noted for the ingredient(s).

Recommended monitoring procedures Follow standard monitoring procedures.

Derived no effect levels (DNELs) Not available.

Predicted no effect concentrations (PNECs) Not available.

Exposure guidelines Follow standard monitoring procedures.

Ireland Exposure Limit Values: Skin designation

Propan-2-ol (CAS 67-63-0) Can be absorbed through the skin.

8.2. Exposure controls

Appropriate engineering controls Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.

Individual protection measures, such as personal protective equipment

General information Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

Eye/face protection Not necessary under normal conditions. If splashing is possible, wear safety glasses with side shields (or goggles). Eye protection should meet standard EN 166.

Skin protection

- Hand protection Wear appropriate chemical resistant gloves. Take note of the information given by the manufacturer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).
Recommended materials: Polyethylene. Neoprene. Chlorinated polyethylene (or Chlorosulfonated polyethylene). Natural rubber. Polyvinyl chloride (PVC). Nitrile rubber/Nitrile latex - NBR. Ethyl vinyl alcohol laminate ("EVAL").
Unsuitable materials: Polyvinyl alcohol (PVA).
The protective gloves to be used must comply with the specifications of Regulation (EU) 2016/425 and the related standard EN ISO 374.

- Other Wear suitable protective clothing.

Respiratory protection Not necessary under normal conditions. If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Check with respiratory protective equipment suppliers. Follow guidance on selection, use, care and maintenance in accordance with EN 529.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

| | |
|--|--|
| Hygiene measures | When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. |
| Environmental exposure controls | Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels. |

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---|--|
| Physical state | Solid. |
| Form | Wipes saturated with liquid. |
| Colour | Colourless. Clear. |
| Odour | Alcoholic |
| Odour threshold | Property has not been measured. |
| Melting point/freezing point | Property has not been measured. (liquid) |
| Boiling point or initial boiling point and boiling range | 87 - 89 °C (188.6 - 192.2 °F) (liquid) |
| Flammability | Solid containing flammable liquid. |
| Upper/lower flammability or explosive limits | |
| Explosive limit - lower (%) | 2 % (liquid) |
| Explosive limit – upper (%) | 12 % (liquid) |
| Flash point | 49 °C (120.2 °F) (liquid) |
| Auto-ignition temperature | 425 °C (797 °F) ASTM E - 2155 /100% isopropyl alcohol (liquid) |
| Decomposition temperature | Property has not been measured. |
| pH | Property has not been measured. (liquid) |
| Kinematic viscosity | Property has not been measured. (liquid) |
| Solubility | |
| Solubility (water) | Completely soluble (100%) (liquid) |
| Partition coefficient (n-octanol/water) (log value) | Not applicable, the product is a mixture. |
| Vapour pressure | 3.7 kPa (28 mm Hg) (20 °C (68 °F) (liquid)) |
| Density and/or relative density | |
| Relative density | 0.992 (20 °C (68 °F) (liquid)) |
| Vapour density | > 1 (Air=1) (liquid) |
| Particle characteristics | Not applicable. (Cloth with substances which are intentionally released) |

9.2. Other information

9.2.1. Information with regard to physical hazard classes No relevant additional information available.

9.2.2. Other safety characteristics

| | |
|-------------------------------------|---|
| Evaporation rate | > 1 (Butyl Acetate = 1) (liquid) |
| Percent volatile | 100 % (IPA) |
| Viscosity | Property has not been measured. (liquid) |
| Other safety characteristics | The product is supplied as impregnated wipes. The physico-chemical properties indicated refer to the impregnating liquid and not to the solid |

SECTION 10: Stability and reactivity

| | |
|---|---|
| 10.1. Reactivity | The product is stable and non-reactive under normal conditions of use, storage and transport. |
| 10.2. Chemical stability | Material is stable under normal conditions. |
| 10.3. Possibility of hazardous reactions | No dangerous reaction known under conditions of normal use. |
| 10.4. Conditions to avoid | Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials. Protect against direct sunlight. |
| 10.5. Incompatible materials | Aldehydes. Halogenated organics. Halogens. Strong acids. Strong oxidising agents. |

10.6. Hazardous decomposition products Thermal decomposition or combustion may produce: Carbon oxides. Organic compounds.

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation No inhalation hazard under normal conditions. However: Prolonged inhalation may be harmful.

Skin contact Prolonged skin contact may cause temporary irritation.

Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion Not relevant, due to the form of the product. However: Ingestion may cause irritation and malaise.

Symptoms Direct contact with eyes may cause temporary irritation.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

| Components | Species | Test Results |
|---------------------------|---------|--------------------|
| Propan-2-ol (CAS 67-63-0) | | |
| Acute | | |
| Dermal | | |
| LD50 | Rabbit | 12870 mg/kg |
| Inhalation | | |
| <i>Vapour</i> | | |
| LC50 | Rat | 72.6 mg/l, 4 hours |
| Oral | | |
| LD50 | Rat | 4710 mg/kg |

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye irritation Direct contact with eyes may cause temporary irritation.

Respiratory sensitisation Based on available data, the classification criteria are not met.

Skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

IARC Monographs. Overall Evaluation of Carcinogenicity

Propan-2-ol (CAS 67-63-0) 3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicity Based on available data, the classification criteria are not met.

Specific target organ toxicity - single exposure Based on available data, the classification criteria are not met.

Specific target organ toxicity - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Mixture versus substance information No information available.

11.2. Information on other hazards

Endocrine disrupting properties This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than 0.1% by weight.

Other information No other specific acute or chronic health impact noted.

SECTION 12: Ecological information

12.1. Toxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

| Components | Species | Test Results |
|---------------------------|---------|---|
| Propan-2-ol (CAS 67-63-0) | | |
| Aquatic | | |
| <i>Acute</i> | | |
| Crustacea | LC50 | Daphnia magna > 10000 mg/l, 24 hours |
| Fish | LC50 | Pimephales promelas 9640 mg/l, 96 hours |
| <i>Chronic</i> | | |
| Crustacea | EC50 | Daphnia magna > 100 mg/l, 21 days |
| | NOEC | Daphnia magna 141 mg/l, 16 days |
| | | 30 mg/l, 21 days |

12.2. Persistence and degradability

The product contains a substance that is readily biodegradable.

12.3. Bioaccumulative potential

Bioconcentration potential is low.

Partition coefficient n-octanol/water (log Kow)

Propan-2-ol (CAS 67-63-0) 0.05

Bioconcentration factor (BCF)

Not available.

12.4. Mobility in soil

Isopropyl alcohol is highly mobile in soil.

12.5. Results of PBT and vPvB assessment

This mixture does not contain any substances that meet the criteria for persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) in accordance with Annex XIII of Regulation (EC) No 1907/2006 at a concentration of equal to or greater than 0.1% w/w.

12.6. Endocrine disrupting properties

This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than 0.1% by weight.

12.7. Other adverse effects

Product does not contain substances which are persistent, mobile, and toxic (PMT) at levels of 0.1 % or higher.
 Product does not contain substances which are very persistent and very mobile (vPvM) 0.1 % or higher.
 The product contains a volatile organic compound which has a photochemical ozone creation potential.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner.

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Do not re-use empty containers.

EU waste code

The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Disposal methods/information

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose in accordance with all applicable regulations. Used wipes must be disposed in a closed container. Dispose of used wipes by dry waste to landfill.

Special precautions

Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. UN number or ID number

UN3175

14.2. UN proper shipping name

SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Isopropanol)

14.3. Transport hazard class(es)

Class 4.1
Subsidiary hazard -
Label(s) 4.1
Hazard No. (ADR) 40
Tunnel restriction code E

14.4. Packing group

II

14.5. Environmental hazards No

14.6. Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

RID

14.1. UN number or ID number UN3175

14.2. UN proper shipping name SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Isopropanol)

14.3. Transport hazard class(es)

Class 4.1

Subsidiary hazard -

Label(s) 4.1

14.4. Packing group II

14.5. Environmental hazards No

14.6. Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

ADN

14.1. UN number or ID number UN3175

14.2. UN proper shipping name SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Isopropanol)

14.3. Transport hazard class(es)

Class 4.1

Subsidiary hazard -

Label(s) 4.1

14.4. Packing group II

14.5. Environmental hazards No

14.6. Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IATA

14.1. UN number or ID number UN3175

14.2. UN proper shipping name Solids containing flammable liquid, n.o.s. (Isopropanol)

14.3. Transport hazard class(es)

Class 4.1

Subsidiary hazard -

14.4. Packing group II

14.5. Environmental hazards No.

ERG Code 3L

14.6. Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IMDG

14.1. UN number or ID number UN3175

14.2. UN proper shipping name SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Isopropanol)

14.3. Transport hazard class(es)

Class 4.1

Subsidiary hazard -

14.4. Packing group II

14.5. Environmental hazards

Marine pollutant No

EmS F-A, S-I

14.6. Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

14.7. Maritime transport in bulk according to IMO instruments Not established.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EU) No. 2024/590 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorisation, as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered

Propan-2-ol (CAS 67-63-0)

40

Regulation 2019/1148 on Marketing and Use of Explosive Precursors, Annex II, as amended

Not listed.

Regulation 2019/1148 on Marketing and Use of Explosive Precursors, Annex I, as amended

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

ANNEX 1, PART 1 Categories of dangerous substances
Hazard categories in accordance with Regulation (EC) No 1272/2008
- P5a, b or c FLAMMABLE LIQUIDS

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other regulations

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended.
This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.

National regulations

Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.
Young people under 18 years old are not allowed to work with this product according to EU Directive 94/33/EC on the protection of young people at work, as amended

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.
ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.
CAS: Chemical Abstract Service.
CEN: European Committee for Standardization.
EC50: (Effective Concentration – 50%) The concentration that will produce a 50% in vivo inhibition of a biological or biochemical effect, in the test organisms or animals.
IATA: International Air Transport Association.
IMDG: International Maritime Dangerous Goods.
IMO: International Maritime Organization.
LC50: Lethal Concentration, 50%.
LD50: Lethal Dose, 50%.

NOEC: No observed effect concentration.
PBT: Persistent, bioaccumulative and toxic.
PMT: Persistent, Mobile, Toxic.
RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.
TWA: Time Weighted Average.
STEL: Short term exposure limit.
vPvB: Very persistent and very bioaccumulative.
vPvM: Very Persistent, Very Mobile.

References

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices
ECHA: European Chemical Agency.
IARC Monographs. Overall Evaluation of Carcinogenicity

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any statements, which are not written out in full under sections 2 to 15

H225 Highly flammable liquid and vapour.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

Training information

Follow training instructions when handling this material.

Disclaimer

Contec, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.