

# SAFETY DATA SHEET

### 1. Identification

Product identifier Presaturated wipes containing 90% Isopropyl alcohol, 10% water. (9010FLIQ)

Other means of identification

SDS number 9010FLIQ
Product code SW420132

Recommended use Wipe for critical cleaning

**Recommended restrictions** Uses other than the recommended use.

Manufacturer/Importer/Supplier/Distributor information

Company Name Contec, Inc.

Address 525 Locust Grove

Spartanburg, SC 29303

USA

Telephone 1-864-503-8333
Email SDS@contecinc.com

Emergency phone number Call CHEMTREC day or night

USA/Canada: 1.800.424.9300

Mexico: 1.800.681.9531

Outside USA/Canada: +1.703.527.3887

## 2. Hazard(s) identification

Physical hazardsFlammable liquidsCategory 2Health hazardsSerious eye damage/eye irritationCategory 2A

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Highly flammable liquid and vapor. Causes serious eye irritation.

**Precautionary statement** 

**Prevention** Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly

closed. Use only non-sparking tools. Take precautionary measures against static discharge. Wash thoroughly after handling. Wear protective gloves/eye protection/face protection.

**Response** If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. In case of fire:

Use appropriate media to extinguish.

**Storage** Store in a well-ventilated place. Keep cool.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information Although the product as a whole is in solid format, the product does not meet the OSHA HCS

definition of a flammable solid as per Appendix B to 1910.1200 - Physical Hazard Criteria, section

B.7.1 and B. 7.2.

# 3. Composition/information on ingredients

#### **Mixtures**

Presaturated wipes containing 90% Isopropyl alcohol, 10% water. (9010FLIQ)

966687 Version #: 01a Revision date: 19-November-2025 Issue date: 14-June-2024

Chemical name	CAS number	%	
Propan-2-ol	67-63-0	90	
Water	7732-18-5	10	

**Composition comments** 

STOT SE 3: Inhalation: Not relevant, due to the form of the product in its manufactured and

shipped state.

All concentrations are in percent by volume.

### 4. First-aid measures

Inhalation

Not relevant, due to the form of the product. However: If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center or doctor/physician if you feel unwell.

Skin contact

Ingestion

Rinse skin with water/shower. Get medical attention if irritation develops and persists.

Eye contact Immedia

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Not relevant, due to the form of the product. In case of ingestion: Rinse mouth. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Direct contact with eyes causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. In high concentrations, vapors are narcotic and may cause headache, fatigue, dizziness and nausea.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

# 5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing media

Water fog. Alcohol resistant foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

May burn with invisible flame. Vapors may form explosive mixtures with air. Vapors are heavier than air and may spread near ground to sources of ignition. Vapors may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed. Carbon oxides. Organic compounds.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions

In case of fire and/or explosion do not breathe fumes. Cool containers exposed to flames with water. Move containers from fire area if you can do so without risk.

Specific methods
General fire hazards

Use standard firefighting procedures and consider the hazards of other involved materials.

Solid containing flammable liquid.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist/vapors. Avoid contact with skin, eyes and clothing. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material.

Avoid release to the environment. The liquid solvent solution is miscible in water.

Spills are very unlikely, because the wiper fabric has absorbed the liquid solvent solution. In the event of a spill, contain with an inert absorbent. Collect the wipes with a non sparking tool and absorb or wipe any residual liquids. Put material in suitable container.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground.

## 7. Handling and storage

#### Precautions for safe handling

WARNING! Used wipes may catch fire if improperly discarded or stored near ignition sources. Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Take precautionary measures against static discharges. Avoid breathing mist/vapors. Avoid contact with skin, eyes and clothing. Avoid prolonged exposure. Wash thoroughly after handling. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store in a well-ventilated place. Keep containers closed when not in use. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

### Occupational exposure limits

US. OSHA Table Z-1 Permissible E Material	Exposure Limits (PEL) for Air Type	Contaminants (29 CFR 1910.1000) Value	
Propan-2-ol	PEL	980 mg/m3	
		400 ppm	
Components	Туре	Value	
Propan-2-ol (CAS 67-63-0)	PEL	980 mg/m3	
		400 ppm	
US. ACGIH Threshold Limit Values	s (TLV)		
Material	Туре	Value	
Propan-2-ol	STEL	400 ppm	
	TWA	200 ppm	
Components	Туре	Value	
Propan-2-ol (CAS 67-63-0)	STEL	400 ppm	
	TWA	200 ppm	
NIOSH. Immediately Dangerous to	Life or Health (IDLH) Values,	as amended	
Material	Туре	Value	
Presaturated wipes containing 90% Isopropyl alcohol, 10% water. (9010SCFL)	IDLH	2 %	
		2000 ppm	
Components	Туре	Value	
Propan-2-ol (CAS 67-63-0)	IDLH	2 %	
		2000 ppm	
US. NIOSH: Pocket Guide to Chen			
Material	Туре	Value	
Presaturated wipes containing 90% Isopropyl alcohol, 10% water. (9010SCFL)	STEL	1225 mg/m3	
		500 ppm	
	TWA	980 mg/m3	
		400 ppm	
Components	Туре	Value	
Propan-2-ol (CAS 67-63-0)	STEL	1225 mg/m3	
		500 ppm	
	TWA	980 mg/m3	
		400 ppm	

Presaturated wipes containing 90% Isopropyl alcohol, 10% water. (9010FLIQ) 966687 Version #: 01a Revision date: 19-November-2025 Issue date: 14-June-2024

### **Biological limit values**

#### **ACGIH Biological Exposure Indices (BEI)**

Material	Value	Determinant	Specimen	Sampling Time
Propan-2-ol	40 mg/l	Acetone	Urine	*
Components	Value	Determinant	Specimen	Sampling Time
Propan-2-ol (CAS 67-63-0)	40 ma/l	Acetone	Urine	*

<sup>\* -</sup> For sampling details, please see the source document.

Follow standard monitoring procedures. **Exposure guidelines** 

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to

maintain airborne levels below recommended exposure limits.

## Individual protection measures, such as personal protective equipment

Eye/face protection Not necessary under normal conditions.

Skin protection

Wear appropriate chemical resistant gloves. Take note of the information given by the Hand protection

manufacturer concerning permeability and break through times, and of special workplace

conditions (mechanical strain, duration of contact).

Recommended materials: Polyethylene. Neoprene. Chlorinated polyethylene (or Chlorosulfonated polyethylene). Natural rubber. Polyvinyl chloride (PVC). Nitrile rubber/Nitrile latex - NBR. Ethyl vinyl

alcohol laminate ("EVAL").

Unsuitable materials: Polyvinyl alcohol (PVA).

Skin protection

Wear suitable protective clothing. Other

Respiratory protection Not necessary under normal conditions. If engineering controls do not maintain airborne

concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Wear NIOSH approved respirator appropriate for airborne exposure at the point of use.

Check with respiratory protective equipment suppliers.

Wear appropriate thermal protective clothing, when necessary. Thermal hazards

General hygiene considerations

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work

clothing and protective equipment to remove contaminants.

### 9. Physical and chemical properties

**Appearance** 

**Physical state** Solid.

**Form** Wipes saturated with liquid.

Colorless. Color Alcohol-like. Odor

**Odor threshold** Property has not been measured.

Property has not been measured. (liquid) pН Melting point/freezing point Property has not been measured. (liquid) 179.6 - 192.2 °F (82 - 89 °C) (liquid) Initial boiling point and boiling

range

Flash point

64.4 °F (18 °C) (liquid)

Property has not been measured. (liquid) **Evaporation rate** Flammability (solid, gas) Wipes will burn if involved in a fire.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) 2 % (liquid) Explosive limit - upper (%) 12 % (liquid)

Vapor pressure 43 hPa (32 mm Hg) (68 °F (20 °C) (liquid)) Vapor density Property has not been measured. (liquid)

Relative density 0.872 (68 °F (20 °C) (liquid))

Solubility(ies)

Soluble in water. (liquid) Solubility (water)

Partition coefficient (n-octanol/water)

Not applicable to mixtures.

**Auto-ignition temperature** 

750.2 °F (399 °C) (liquid)

**Decomposition temperature** 

Property has not been measured.

**Viscosity** 

Property has not been measured. (liquid)

Other information

Density 129.28 mg/m3

0.58 mPa.s (167 °F (75 °C)) **Dynamic viscosity** 

**Explosive properties** Not explosive. Heat of combustion (NFPA 27.4 kJ/g

30B)

Kinematic viscosity Property has not been measured. (liquid)

Molecular formula C3-H8-O Molecular weight 60.1 g/mol Oxidizing properties Not oxidizing. Percent volatile 100 % (IPA)

**Surface tension** 20.93 mN/m (77 °F (25 °C))

# 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the

flash point. Contact with incompatible materials.

Incompatible materials Strong acids. Strong oxidizing agents. Halogens. Aldehydes. Halogenated organics.

**Hazardous decomposition** 

products

Combustion may produce: Oxides of carbon and other organic substances.

## 11. Toxicological information

## Information on likely routes of exposure

No inhalation hazard under normal conditions. However: Prolonged inhalation of vapors may be Inhalation

harmful. May cause drowsiness or dizziness. Headache. Nausea, vomiting.

Skin contact Prolonged skin contact may cause temporary irritation.

Eye contact Not relevant, due to the form of the product. However: Direct contact: Causes serious eye

irritation.

Not relevant, due to the form of the product. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics

Skin corrosion/irritation

Direct contact with eyes causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. In high concentrations, vapors are narcotic and may cause

headache, fatigue, dizziness and nausea.

# Information on toxicological effects

Not relevant, due to the form of the product in its manufactured and shipped state. **Acute toxicity** 

Components	Species	Test Results	
Propan-2-ol (CAS 67-63-0)			
<u>Acute</u>			
Dermal			
LD50	Rabbit	12870 mg/kg	
Inhalation			
Vapor			
LC50	Rat	72.6 mg/l, 4 hours	
Oral			
LD50	Rat	4710 mg/kg	

Presaturated wipes containing 90% Isopropyl alcohol, 10% water. (9010FLIQ)

SDS US 966687 Revision date: 19-November-2025 Version #: 01a Issue date: 14-June-2024

Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

irritation

Not relevant, due to the form of the product. However: Direct contact: Causes serious eye irritation.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

This product is not expected to cause skin sensitization. Skin sensitization

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

Carcinogenicity Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Propan-2-ol (CAS 67-63-0) 3 Not classifiable as to carcinogenicity to humans.

**NTP Report on Carcinogens** 

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Species

Specific target organ toxicity -

single exposure

Not classified. However: In high concentrations, vapors are narcotic and may cause headache,

fatigue, dizziness and nausea.

Specific target organ toxicity -

repeated exposure

Components

Not classified.

**Aspiration hazard** Not an aspiration hazard.

**Further information** Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

### 12. Ecological information

The product is not classified as environmentally hazardous. However, this does not exclude the **Ecotoxicity** 

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Tost Results

30 mg/l, 21 days

Components		Opecies	TOST NOSURIS	
Propan-2-ol (CAS 67-	63-0)			
Aquatic				
Acute				
Crustacea	LC50	Daphnia magna	> 10000 mg/l, 24 hours	
Fish	LC50	Pimephales promelas	9640 mg/l, 96 hours	
Chronic				
Crustacea	EC50	Daphnia magna	> 100 mg/l, 21 days	
	NOEC	Daphnia magna	141 mg/l, 16 days	

Persistence and degradability No data is available on the degradability of this substance.

Bioaccumulative potential Bioconcentration potential is low.

Partition coefficient n-octanol / water (log Kow)

Propan-2-ol (CAS 67-63-0)

Isopropyl alcohol is highly mobile in soil.

Other adverse effects The product contains a volatile organic compound which has a photochemical ozone creation

0.05

potential.

### 13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose in

accordance with all applicable regulations. Used wipes must be disposed in a closed container.

Dispose of used wipes by dry waste to landfill.

Local disposal regulations Dispose in accordance with all applicable regulations.

D001: Waste Flammable material with a flash point <140 F Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Mobility in soil

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner.

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Do not re-use empty containers.

Presaturated wipes containing 90% Isopropyl alcohol, 10% water. (9010FLIQ)

966687 Version #: 01a Revision date: 19-November-2025 Issue date: 14-June-2024

## 14. Transport information

DOT

UN1993 **UN** number

Flammable liquids, n.o.s. (Isopropanol) **UN proper shipping name** 

Transport hazard class(es)

Class 3 **Subsidiary hazard** 3 Label(s) Ш **Packing group Environmental hazards** 

> No. Marine pollutant

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Special provisions IB2, T7, TP1, TP8, TP28

Packaging exceptions 150 Packaging non bulk 202 Packaging bulk 242

IATA

**UN** number

IATA: Not permitted for transport. **UN proper shipping name** 

Transport hazard class(es)

Class **Subsidiary hazard** Packing group **Environmental hazards** No.

Special precautions for user IATA classification is not relevant as the material is not transported by air.

**IMDG** 

UN1993 **UN** number

FLAMMABLE LIQUIDS, N.O.S. (Isopropanol) **UN proper shipping name** 

Transport hazard class(es)

Class 3 **Subsidiary hazard** П Packing group **Environmental hazards** 

Marine pollutant No F-E, S-E **EmS** 

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Not established.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

## 15. Regulatory information

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication **US federal regulations** 

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Propan-2-ol (CAS 67-63-0) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

This substance is on the TSCA 8(b) inventory and is designated "active". **Toxic Substances Control Act (TSCA)** 

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes

chemical

Presaturated wipes containing 90% Isopropyl alcohol, 10% water. (9010FLIQ) 966687 Version #: 01a Revision date: 19-November-2025 Issue date: 14-June-2024 Classified hazard Flammable (gases, aerosols, liquids, or solids)

categories Serious eye damage or eye irritation

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
Propan-2-ol	67-63-0	90	

## Other federal regulations

### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

## Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA)

### FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

Propan-2-ol (CAS 67-63-0) Low priority

Inventory name

### **US** state regulations

## US. Massachusetts RTK - Substance List

Propan-2-ol (CAS 67-63-0)

### US. New Jersey Worker and Community Right-to-Know Act

Propan-2-ol (CAS 67-63-0)

## US. Pennsylvania Worker and Community Right-to-Know Law

Propan-2-ol (CAS 67-63-0)

#### **US. Rhode Island RTK**

Propan-2-ol (CAS 67-63-0)

#### California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

#### **International Inventories**

Country(s) or region

		., (,, ,
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
*A "Voe" indicates that all compo	nents of this product comply with the inventory requirements administered by the governing country	(c)

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

# 16. Other information, including date of preparation or last revision

Issue date 14-June-2024

Revision date - 01

Further information HMIS Rating:

X - Ask Supervisor

Presaturated wipes containing 90% Isopropyl alcohol, 10% water. (9010FLIQ)
966687 Version #: 01a Revision date: 19-November-2025 Issue date: 14-June-2024

On inventory (yes/no)\*

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

**HMIS®** ratings Health: 2

> Flammability: 3 Physical hazard: 0 Personal protection: X

List of abbreviations

DOT: Department of Transportation. EC50: Effective Concentration, 50%.

IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

IDLH: Immediately Dangerous To Life or Health. IMDG: International Maritime Dangerous Goods.

LC50: Lethal Concentration, 50%.

LD50: Lethal Dose, 50%.

MARPOL: International Convention for the Prevention of Pollution from Ships.

NOEC: No Observed Effect Concentration.

PEL: Permissible Exposure Limit. STEL: Short-Term Exposure Limit. TWA: Time Weighted Average Value.

Disclaimer

966687

Contec, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

SDS US Version #: 01a Revision date: 19-November-2025 9/9 Issue date: 14-June-2024