

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Trade name or designation of the mixture	Presaturated wipes with Acetone
Registration number	-
Synonyms	None.
SDS number	LQFLIQ30153016 IATA
Product code	PSQT1295, SAT-8646-AC, SWC10191, SW420161, SW420045, SW420180
Issue date	27-April-2026
Version number	01
Revision date	-
Supersedes date	-

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Presaturated cleaning wipes.
Uses advised against	For industrial use only.

### 1.3. Details of the supplier of the safety data sheet

#### Authorisation holder:

Company name	Contec Cleanroom (UK) Ltd.
Address	Unit 6A Wansbeck Business Park Rotary Parkway Ashington NE63 8QW UK
Telephone	+44 (0) 1670 520 148

#### Manufacturer:

Company name	Contec, Inc.
Address	525 Locust Grove Spartanburg, SC 29303 USA
Telephone	+1-864-503-8333

#### Customer service:

Hotline	+33 (0) 2 97 43 76 98
Email	SDS@contecinc.com

1.4. Emergency telephone number	Call CHEMTREC day or night: +1 703 527 3887 (24 hours)  In England, Scotland and Wales you can contact NHS 111 / NHS 24 by dialling 111.
---------------------------------	--

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

#### Classification according to Regulation (EC) No 1272/2008 as amended

<b>Physical hazards</b>		
Flammable liquids	Category 2	H225 - Highly flammable liquid and vapour.
<b>Health hazards</b>		
Serious eye damage/eye irritation	Category 2	H319 - Causes serious eye irritation.

**2.2. Label elements****Label according to Regulation (EC) No. 1272/2008 as amended****Contains:** Acetone**Hazard pictograms****Signal word** Danger**Hazard statements**

H225 Highly flammable liquid and vapour.  
 H319 Causes serious eye irritation.  
 H336 May cause drowsiness or dizziness.

**Precautionary statements****Prevention**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 P243 Take action to prevent static discharges.  
 P261 Avoid breathing mist/vapours.  
 P280 Wear protective gloves/protective clothing/eye protection/face protection.

**Response**

P337 + P313 If eye irritation persists: Get medical advice/attention.  
 P312 Call a POISON CENTRE/doctor if you feel unwell.

**Storage** Not assigned.**Disposal**

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**Supplemental information on the label** EUH066 - Repeated exposure may cause skin dryness or cracking.**2.3. Other hazards**

This mixture does not contain any substances that meet the criteria for persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) in accordance with Annex XIII of Regulation (EC) No 1907/2006 at a concentration of equal to or greater than 0.1% w/w.

**SECTION 3: Composition/information on ingredients****3.2. Mixtures****General information**

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Acetone	>99	67-64-1 200-662-2	-	606-001-00-8	#

**Classification:** Flam. Liq. 2;H225, Eye Irrit. 2;H319, STOT SE 3;H336**List of abbreviations and symbols that may be used above**

#: This substance has workplace exposure limit(s).

**Composition comments**

The full text for all H-statements is displayed in section 16. All concentrations are in percent by weight.

**SECTION 4: First aid measures****General information**

Take off all contaminated clothing immediately. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

**4.1. Description of first aid measures****Inhalation**

Not relevant, due to the form of the product. However: If inhaled, remove to fresh air. Keep in comfortable position for breathing.

**Skin contact**

Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical attention if irritation develops and persists.

<b>Eye contact</b>	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
<b>Ingestion</b>	Not relevant, due to the form of the product. However: If ingestion occurs: Rinse mouth. Get medical attention if symptoms occur.
<b>4.2. Most important symptoms and effects, both acute and delayed</b>	May cause drowsiness or dizziness. Headache. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Prolonged exposure may cause chronic effects.
<b>4.3. Indication of any immediate medical attention and special treatment needed</b>	Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.

## SECTION 5: Firefighting measures

<b>General fire hazards</b>	Solid containing highly flammable liquid and vapour.
<b>5.1. Extinguishing media</b>	
<b>Suitable extinguishing media</b>	Water fog. Alcohol resistant foam. Dry chemical powder. Carbon dioxide (CO <sub>2</sub> ).
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.
<b>5.2. Special hazards arising from the substance or mixture</b>	May burn with invisible flame. Vapours may form explosive mixtures with air. Vapours may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed. Carbon oxides. Nitrogen Oxides Organic compounds.
<b>5.3. Advice for firefighters</b>	
<b>Special protective equipment for firefighters</b>	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
<b>Special fire fighting procedures</b>	In case of fire and/or explosion do not breathe fumes. Cool containers exposed to flames with water. Move containers from fire area if you can do so without risk.
<b>Specific methods</b>	Use standard firefighting procedures and consider the hazards of other involved materials.

## SECTION 6: Accidental release measures

<b>6.1. Personal precautions, protective equipment and emergency procedures</b>	
<b>For non-emergency personnel</b>	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist/vapours. Avoid contact with eyes, skin, and clothing. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained.
<b>For emergency responders</b>	Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.
<b>6.2. Environmental precautions</b>	Avoid discharge into drains, water courses or onto the ground.
<b>6.3. Methods and material for containment and cleaning up</b>	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil etc) away from spilled material. Take precautionary measures against static discharge. This product will sediment in water systems. The liquid solvent solution is miscible in water. Spills are very unlikely, because the wiper fabric has absorbed the liquid solvent solution. In the event of a spill, contain with an inert absorbent. Collect the wipes with a non sparking tool and absorb or wipe any residual liquids. Used wipes must be disposed in a closed container.
	Never return spills to original containers for re-use.
<b>6.4. Reference to other sections</b>	For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

## SECTION 7: Handling and storage

<b>7.1. Precautions for safe handling</b>	<b>WARNING!</b> Used wipes may catch fire if improperly discarded or stored near ignition sources. Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Take precautionary measures against static discharges. Avoid breathing mist/vapours. Avoid contact with eye, skin and clothing. Avoid prolonged exposure. Wash hands thoroughly after handling. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
---	--

**7.2. Conditions for safe storage, including any incompatibilities** Keep away from heat, sparks and open flame. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see section 10 of the SDS).

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

ANNEX 1, PART 1 Categories of dangerous substances  
Hazard categories in accordance with Regulation (EC) No 1272/2008  
- P5a, b or c FLAMMABLE LIQUIDS (Lower-tier requirements = 50 tonnes; Upper-tier requirements = 200 tonnes)

**7.3. Specific end use(s)** Presaturated cleaning wipes.  
Observe industrial sector guidance on best practices.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limits

UK. OELs. Workplace Exposure Limits (WELs) (EH40/2005 (Fourth Edition 2020)), Table 1

Components	Type	Value
Acetone (CAS 67-64-1)	STEL	3620 mg/m <sup>3</sup>
		1500 ppm
	TWA	1210 mg/m <sup>3</sup>
		500 ppm

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Recommended monitoring procedures** Follow standard monitoring procedures.

**Derived no effect levels (DNELs)** Not available.

**Predicted no effect concentrations (PNECs)** Not available.

### 8.2. Exposure controls

**Appropriate engineering controls** Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.

#### Individual protection measures, such as personal protective equipment

**General information** Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

**Eye/face protection** Wear safety glasses with side shields (or goggles). Eye protection should meet standard EN 166.

#### Skin protection

**- Hand protection** Wear appropriate chemical resistant gloves. Take note of the information given by the manufacturer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). Recommended materials: Polyethylene. Neoprene. Chlorinated polyethylene (or Chlorosulfonated polyethylene). Natural rubber. Polyvinyl chloride (PVC). Nitrile rubber/Nitrile latex - NBR. Ethyl vinyl alcohol laminate ("EVAL"). Unsuitable materials: Polyvinyl alcohol (PVA).  
The protective gloves to be used must comply with the specifications of Regulation (EU) 2016/425 and the related standard EN ISO 374.

**- Other** Wear suitable protective clothing.

**Respiratory protection** Not necessary under normal conditions. Check with respiratory protective equipment suppliers. If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Chemical respirator with organic vapour cartridge and full facepiece. Follow guidance on selection, use, care and maintenance in accordance with EN 529.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

<b>Hygiene measures</b>	When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.
<b>Environmental exposure controls</b>	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Appearance

<b>Physical state</b>	Liquid.
<b>Form</b>	Wipes saturated with liquid.
<b>Colour</b>	Colourless
<b>Odour</b>	Acetone.
<b>Odour threshold</b>	Property has not been measured.
<b>pH</b>	Property has not been measured.
<b>Melting point/freezing point</b>	-96.67 °C (-142.01 °F) [Acetone]
<b>Initial boiling point and boiling range</b>	56.11 °C (133 °F) [Acetone]
<b>Flash point</b>	-20 °C (-4 °F) Tag closed cup [Acetone]
<b>Evaporation rate</b>	> 10 (butyl acetate = 1) [Acetone]
<b>Flammability (solid, gas)</b>	Not applicable.

#### Upper/lower flammability or explosive limits

<b>Explosive limit - lower (%)</b>	2.6 % [Acetone]
<b>Explosive limit – upper (%)</b>	12.8 % [Acetone]
<b>Vapour pressure</b>	185 mmHg [Acetone] (20 °C (68 °F))
<b>Vapour density</b>	2 (Air=1) [Acetone]
<b>Relative density</b>	0.79 [Acetone]

#### Solubility(ies)

<b>Solubility (water)</b>	Completely soluble (100 %)
<b>Partition coefficient (n-octanol/water)</b>	-0.24 [Acetone]
<b>Auto-ignition temperature</b>	447.22 °C (837 °F) (ASTM D56) [Acetone]
<b>Decomposition temperature</b>	Property has not been measured.
<b>Viscosity</b>	Property has not been measured.
<b>Explosive properties</b>	Not explosive.
<b>Oxidising properties</b>	Not oxidising.

### 9.2. Other information

The product is supplied as impregnated wipes. The physico-chemical properties indicated below refer to the impregnating liquid (Acetone) and not to the solid

<b>Density</b>	Property has not been measured.
<b>Kinematic viscosity</b>	Property has not been measured.

## SECTION 10: Stability and reactivity

<b>10.1. Reactivity</b>	The product is stable and non-reactive under normal conditions of use, storage and transport.
<b>10.2. Chemical stability</b>	Material is stable under normal conditions.
<b>10.3. Possibility of hazardous reactions</b>	No dangerous reaction known under conditions of normal use.
<b>10.4. Conditions to avoid</b>	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
<b>10.5. Incompatible materials</b>	Strong oxidising agents. Strong alkalis. Strong acids. Amines. Sodium hydroxide. May attack some plastics, rubber and coatings.
<b>10.6. Hazardous decomposition products</b>	No hazardous decomposition products are known.

## SECTION 11: Toxicological information

**General information** Occupational exposure to the substance or mixture may cause adverse effects.

### Information on likely routes of exposure

**Inhalation** May cause drowsiness or dizziness. Headache. Nausea, vomiting. Prolonged inhalation may be harmful.

**Skin contact** Repeated exposure may cause skin dryness or cracking.

**Eye contact** Causes serious eye irritation.

**Ingestion** Not likely, due to the form of the product. However: Ingestion may cause irritation and malaise.

### Symptoms

May cause drowsiness or dizziness. Headache. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Prolonged exposure may cause chronic effects.

### 11.1. Information on toxicological effects

#### Acute toxicity

Components	Species	Test Results
Acetone (CAS 67-64-1)		
<b>Acute</b>		
<b>Dermal</b>		
LD50	Rabbit	> 15700 mg/kg, 24 Hours
<b>Inhalation</b>		
<i>Vapour</i>		
LC50	Rat	76 mg/l, 4 Hours
<b>Oral</b>		
LD50	Rat	5800 mg/kg

**Skin corrosion/irritation** Repeated exposure may cause skin dryness or cracking.

**Serious eye damage/eye irritation** Causes serious eye irritation.

**Respiratory sensitisation** Based on available data, the classification criteria are not met.

**Skin sensitisation** Based on available data, the classification criteria are not met.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**Specific target organ toxicity - single exposure** May cause drowsiness or dizziness.

**Specific target organ toxicity - repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

**Mixture versus substance information** No information available.

**Other information** No other specific acute or chronic health impact noted.

## SECTION 12: Ecological information

**12.1. Toxicity** The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components	Species	Test Results
Acetone (CAS 67-64-1)		
<b>Aquatic</b>		
<i>Acute</i>		
Crustacea	LC50	Daphnia pulex 8800 mg/l, 48 Hours
Fish	LC50	Pimephales promelas 7163 mg/l, 96 Hours
<i>Chronic</i>		
Crustacea	NOEC	Daphnia magna > 79 mg/l, 21 days

**12.2. Persistence and degradability**

The product contains a substance that is readily biodegradable.

**12.3. Bioaccumulative potential****Partition coefficient****n-octanol/water (log Kow)**

Presaturated wipes with Acetone

-0.24, [Acetone]

Acetone (CAS 67-64-1)

-0.24

**Bioconcentration factor (BCF)**

Not available.

**12.4. Mobility in soil**

The product contains substances, which are water soluble and may spread in water systems.

**12.5. Results of PBT and vPvB assessment**

This mixture does not contain any substances that meet the criteria for persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) in accordance with Annex XIII of Regulation (EC) No 1907/2006 at a concentration of equal to or greater than 0.1% w/w.

**12.6. Other adverse effects**

Product does not contain substances which are persistent, mobile, and toxic (PMT) at levels of 0.1 % or higher.

Product does not contain substances which are very persistent and very mobile (vPvM) 0.1 % or higher.

The product contains volatile organic compounds which have a photochemical ozone creation potential.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Residual waste**

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner.

**Contaminated packaging**

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

**EU waste code**

The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.

**Disposal methods/information**

Do not allow this material to drain into sewers/water supplies. Dispose in accordance with all applicable regulations. Used wipes must be disposed in a closed container. Dispose of used wipes by dry waste to landfill. Dispose of used wipes by dry waste to landfill.

**Special precautions**

Dispose in accordance with all applicable regulations.

**SECTION 14: Transport information****ADR****14.1. UN number**

UN1090

**14.2. UN proper shipping name**

ACETONE, Limited Quantity

**14.3. Transport hazard class(es)**

**Class** 3

**Subsidiary hazard** -

**Label(s)** 3

**Hazard No. (ADR)** 33

**Tunnel restriction code** D/E

**14.4. Packing group**

II

**14.5. Environmental hazards**

No.

**14.6. Special precautions for user**

Read safety instructions, SDS and emergency procedures before handling.

**RID****14.1. UN number**

UN1090

**14.2. UN proper shipping name**

ACETONE, Limited Quantity

**14.3. Transport hazard class(es)**

**Class** 3

**Subsidiary hazard** -

**Label(s)** 3

**14.4. Packing group**

II

**14.5. Environmental hazards**

No.

**14.6. Special precautions for user**

Read safety instructions, SDS and emergency procedures before handling.

## ADN

- 14.1. UN number UN1090
- 14.2. UN proper shipping name ACETONE, Limited Quantity
- 14.3. Transport hazard class(es)
- Class 3
  - Subsidiary hazard -
  - Label(s) 3
- 14.4. Packing group II
- 14.5. Environmental hazards No.
- 14.6. Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

## IATA

- 14.1. UN number -
- 14.2. UN proper shipping name IATA: Not permitted for transport.
- 14.3. Transport hazard class(es)
- Class -
  - Subsidiary hazard -
- 14.4. Packing group -
- 14.5. Environmental hazards No.
- 14.6. Special precautions for user IATA classification is not relevant as the material is not transported by air.

## IMDG

- 14.1. UN number UN1090
- 14.2. UN proper shipping name ACETONE, Limited Quantity
- 14.3. Transport hazard class(es)
- Class 3
  - Subsidiary hazard -
- 14.4. Packing group II
- 14.5. Environmental hazards
- Marine pollutant No.
- EmS F-E, S-D
- 14.6. Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not established.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Retained direct EU regulations

- Regulation (EU) No. 2024/590 on substances that deplete the ozone layer, Annex I and II, as amended**  
Not listed.
- Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended**  
Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended**  
Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended**  
Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended**  
Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended**  
Not listed.
- Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended**  
Acetone (CAS 67-64-1)
- Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA**  
Not listed.

#### Authorisations

## Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorisation, as amended

Not listed.

### Restrictions on use

**Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered**

Acetone (CAS 67-64-1)

### Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

ANNEX 1, PART 1 Categories of dangerous substances  
Hazard categories in accordance with Regulation (EC) No 1272/2008  
- P5a, b or c FLAMMABLE LIQUIDS

### Other regulations

This product is classified and labelled in accordance with the retained CLP Regulation (EC) No 1272/2008, as amended for Great Britain.

This Safety Data Sheet is compiled in accordance with REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758.

Follow the requirements of the Control of Substances Hazardous to Health Regulations 2002 [SI 2002/2677], as amended, when using this material.

Use of this product by young persons under the age of 18 is not allowed in accordance with the Management of Health and Safety at Work Regulations 1999 [SI 1999/3242], as amended.

### 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

## SECTION 16: Other information

### List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.  
ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.  
CAS: Chemical Abstract Service.  
CEN: European Committee for Standardization.  
IATA: International Air Transport Association.  
IMDG: International Maritime Dangerous Goods.  
IMO: International Maritime Organization.  
LC50: Lethal Concentration, 50%.  
LD50: Lethal Dose, 50%.  
NOEC: No observed effect concentration.  
PBT: Persistent, bioaccumulative and toxic.  
PMT: Persistent, Mobile, Toxic.  
RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.  
STEL: Short term exposure limit.  
TWA: Time Weighted Average.  
vPvB: Very persistent and very bioaccumulative.  
vPvM: Very Persistent, Very Mobile.

### References

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices  
IARC Monographs. Overall Evaluation of Carcinogenicity  
ECHA registered substances database

### Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

### Full text of any statements, which are not written out in full under sections 2 to 15

H225 Highly flammable liquid and vapour.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.

### Training information

Follow training instructions when handling this material.

### Disclaimer

Contec, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.